

RECEIVED

RECEIVED  
ORIGINAL

BEFORE THE  
JUN 25 4 25 PM '92  
FEDERAL COMMUNICATIONS COMMISSION  
WASHINGTON, D.C. 20554

FEDERAL COMMUNICATIONS COMMISSION  
OFFICE OF THE SECRETARY

In re Application of )  
ADAMS RIB, INC. ) File No. BPED-911115MA  
New Albany, IN )

For a construction permit

To: The Chief, Mass Media Bureau

PETITION FOR LEAVE TO AMEND


On behalf of Adams Rib, Inc. (Adams Rib), submitted herewith in triplicate, is an amendment to its pending application for a construction permit for a new noncommercial FM radio station to operate on Channel 234A at New Albany, Indiana. The amendment, attached hereto as Appendix A, specifies a new technical proposal for Adams Rib, in response to the specific directive of the Federal Communications Commission (FCC). Good cause exists for acceptance of the amendment.

In a Report and Order, DA 92-485, released by the Commission in MM Docket No. 88-315, In the Matter of Amendment of Section 73.202(b), Table of Allotments, FM Broadcast Stations, Hawesville and Hardinsburg, Kentucky, Bloomfield, Huntingsburg, Loogootee and Scottsburg, Indiana (a copy of which is attached hereto as Appendix B), Adams Rib was ordered by the Commission to amend its application to reflect a new transmitter site which does not conflict with the Commission's allotment of Channel 232C2 at Hardinsburg, Indiana. Adams Rib is now tendering an amendment proposing a transmitter site in compliance with the Commission's minimum mileage separation requirements with respect to the Hardinsburg allotment.

Adams Rib's application as amended herein retains its cut-off protection for its Channel 234A New Albany allocation since the Adams Rib application is being amended in response to the specific directive of the Commission for the purpose of Adams Rib's relocation of its transmitter site in order to resolve the short-spacing which potentially exists as a result of the subsequent allotment of Channel 232C2 at Hardinsburg, Indiana. Report and Order, slip op. at p. 2, n. 7. Following the Commission's directive, Adams Rib has now secured a new transmitter site and is tendering its amendment within 30 days of the effective date of the Hardinsburg allotment (June 15, 1992), thereby demonstrating Adams Rib's due diligence.

For the foregoing reasons, the petition for leave to amend should be granted and the accompanying amendment accepted.

Respectfully submitted,



Gene A. Bechtel  
Ann C. Farhat

Bechtel & Cole Chartered  
1901 L Street, N.W.  
Suite 250  
Washington, D.C. 20036  
202/833-4190

Counsel for Adams Rib, Inc.

June 25, 1992

## Appendix A

FCC 340

Approved by OMB

3060-0034

Expires 4/30/92

See Page 23 for information  
regarding public burden estimate

APPLICATION FOR CONSTRUCTION PERMIT FOR  
NONCOMMERCIAL EDUCATIONAL BROADCAST STATION  
(Carefully read instructions before filing form) Return only form to FCC

For Commission Use Only

File No.

Section 1 - GENERAL INFORMATION

1. Name of Applicant

Send notices and communications to the following person  
at the address below: Notice to applicant, with

# Section V-B - FM BROADCAST ENGINEERING DATA

FOR COMMISSION USE ONLY

File No. \_\_\_\_\_

ASB Referral Date \_\_\_\_\_

Referred by \_\_\_\_\_

Name of Applicant

**ADAMS RIB, INC.**

Call letters *(if issued)*

**NONE**

Is this application being filed in response to a window? ☐ Yes ☒ No

If Yes, specify closing date: \_\_\_\_\_

Purpose of Application: *(check appropriate box(es))*

☒ Construct a new (main) facility

☐ Construct a new auxiliary facility

☐ Modify existing construction permit for main facility

☐ Modify existing construction permit for auxiliary facility

☐ Modify licensed main facility

☐ Modify licensed auxiliary facility

If purpose is to modify, indicate below the nature of change(s) and specify the file number(s) of the authorizations affected.

☐ Antenna supporting-structure height

☐ Effective radiated power

☐ Antenna height above average terrain

☐ Frequency

☐ Antenna location

☐ Class

☐ Main Studio location

☐ Other *(Summarize briefly)*

File Number(s) \_\_\_\_\_

## 1. Allocation:

Channel No.	Principal community to be served:		
234	City <b>NEW ALBANY</b>	County <b>FLOYD</b>	State <b>IN</b>

Class *(check only one box below)*

☒ A ☐ B1 ☐ B ☐ C3  
☐ C2 ☐ C1 ☐ C ☐ D

## 2. Exact location of antenna.

(a) Specify address, city, county and state. If no address, specify distance and bearing relative to the nearest town or landmark.

**1.74 km NORTHEAST OF INTERSECTION OF YENOWINE LANE & OLD CORYDON ROAD  
NEAR EDWARDSVILLE, INDIANA IN FLOYD COUNTY.**

(b) Geographical coordinates (to nearest second). If mounted on element of an AM array, specify coordinates of center of array.

Otherwise, specify tower location. Specify South Latitude or East Longitude where applicable; otherwise, North Latitude or West Longitude will be presumed.

Latitude	38° 17' 30"	Longitude	85° 54' 19"
----------	-------------	-----------	-------------

3. Is the supporting structure the same as that of another station(s) or proposed in another pending application(s)? ☒ Yes ☐ No

If Yes, give call letter(s) or file number(s) or both.

**BPH-911115MC**

If proposal involves a change in height of an existing structure, specify old tower height above ground level including antenna

## SECTION V-B - FM BROADCAST ENGINEERING DATA (Page 2)

4. Does the application propose to correct previous site coordinates?

☒ Yes ☐ No

If Yes, list old coordinates.

Latitude	38 °	16 '	20 "	Longitude	85 °	56 '	14 "
----------	------	------	------	-----------	------	------	------

5. Has the FAA been notified of the proposed construction?

☒ Yes ☐ No

Yes, give date and office where notice was filed and attach as an Exhibit a copy of FAA determination, if available.

Exhibit No.  
N/ADate MAY 30, 1992 Office where filed DES PLAINES, IL

6. List all landing areas within 8 km of antenna site. Specify distance and bearing from structure to nearest point of the nearest runway.

	Landing Area	Distance (km)	Bearing (degrees True)
(a)	<u>NONE</u>		
(b)			

7. (a) Elevation: *(to the nearest meter)*(1) of site above mean sea level; 279 meters(2) of the top of supporting structure above ground (including antenna, all other appurtenances, and lighting, if any); and 58 meters(3) of the top of supporting structure above mean sea level  $[(aX1) + (aX2)]$  337 meters(b) Height of radiation center: *(to the nearest meter)* H = Horizontal; V = Vertical(1) above ground 57 meters (H)57 meters (V)(2) above mean sea level  $[(aX1) + (bX1)]$  336 meter336 meters (V)(3) above average terrain 138 meters (H)138 meters (V)

8. Attach as an Exhibit sketch(es) of the supporting structure, labelling all elevations required in Question 7 above, except item 7(bX3). If mounted on an AM directional-array element, specify heights and orientations of all array towers, as well as location of FM radiator.

Exhibit No.  
EE-1

9. Effective Radiated Power:

(a) ERP in the horizontal plane 1.570 kw (H\*) 1.570 kw (V\*)

(b) Is beam-tilt proposed?

☐ Yes ☒ No

If Yes, specify maximum ERP in the plane of the tilted beam, and attach as an Exhibit a vertical elevational plot of radiated field.

Exhibit No.  
N/A                     kw (H\*)                      kw (V\*)

\*Polarization

SECTION V-B - FM BROADCAST ENGINEERING DATA (Page 3)

10. Is a directional antenna proposed?

☐ Yes ☒ No

If Yes, attach as an Exhibit a statement with all data specified in 47 C.F.R. Section 73.316, including plot(s) and tabulations of horizontally and vertically polarized radiated components in terms of relative field.

Exhibit No.  
N/A

11. Will the main studio be located within the 70 dBu or 3.16 mV/m contour?

☒ Yes ☐ No

If No, attach as an Exhibit justification pursuant to 47 C.F.R. Section 73.1125.

Exhibit No.  
N/A

12. Are there: (a) within 60 meters of the proposed antenna, any proposed or authorized FM or TV transmitters, or any nonbroadcast *except citizens band or amateur* radio stations; or (b) within the blanketing contour, any established commercial or government receiving stations, cable head-end facilities, or populated areas; or (c) within ten (10) kilometers of the proposed antenna, any proposed or authorized FM or TV transmitters which may produce receiver-induced intermodulation interference?

☐ Yes ☒ No

If Yes, attach as an Exhibit a description of any expected, undesired effects of operations and remedial steps to be pursued if necessary, and a statement accepting full responsibility for the elimination of any objectionable interference (including that caused by receiver-induced or other types of modulation) to facilities in existence or authorized or to radio receivers in use prior to grant of this application. (See 47 C.F.R. Sections 73.315(b), 73.316(d) and 73.318.)

Exhibit No.  
N/A

13. Attach as an Exhibit a 7.5 minute series U.S. Geological Survey topographic quadrangle map that shows clearly, legibly, and accurately, the location of the proposed transmitting antenna. This map must comply with the requirements set forth in Instruction D for Section V. Further, the map must clearly and legibly display the original printed contour lines and data as well as latitude and longitude markings, and must bear a scale of distance in kilometers.

Exhibit No.  
EE-2

14. Attach as an Exhibit *(name the source)* a map which shows clearly, legibly, and accurately, and with the original printed latitude and longitude markings and a scale of distance in kilometers:

**SOURCE: U.S. DEPT. OF COMMERCE; ST. LOUIS SECTIONAL.**

(a) the proposed transmitter location, and the radials along with profile graphs have been prepared;

(b) the 1 mV/m predicted contour and, for noncommercial educational applicants applying on a commercial channel, the 3.16 mV/m contour; and

(c) the legal boundaries of the principal community to be served.

Exhibit No.  
EE-3

15. Specify area in square kilometers (1 sq. mi. = 2.59 sq. km.) and population (latest census) within the predicted 1 mV/m contour.

Area 1756.8 sq. km.

Population 774,651

16. Attach as an Exhibit a map *(Sectional Aeronautical charts where obtainable)* showing the present and proposed 1 mV/m (60 dbu) contours.

Exhibit No.  
N/A

Enter the following from Exhibit above:

Gain Area \_\_\_\_\_ sq. mi.

Loss Area \_\_\_\_\_ sq. mi.

Percent change (gain area plus loss area as percentage of present area) \_\_\_\_\_ %.

If 50% or more this constitutes a major change. Indicate in question 2(c), Section I, accordingly.

17. For an application involving an auxiliary facility only, attach as an Exhibit a map (*Sectional Aeronautical Chart or equivalent*) that shows clearly, legibly, and accurately, and with latitude and longitude markings and a scale of distance in kilometers:

Exhibit No.  
N/A

(a) the proposed auxiliary 1 mV/m contour; and

(b) the 1 mV/m contour of the licensed main facility for which the applied-for facility will be auxiliary. Also specify the file number of the license. See 47 C.F.R. Section 73.1675. (File No.: \_\_\_\_\_)

18. Terrain and coverage data (*to be calculated in accordance with 47 C.F.R. Section 73.313*).

Source of terrain data: (*check only one box below*)

☐ Linearly interpolated 30-second database

☒ 7.5 minute topographic map

(Source: U.S. DEPT. OF INTERIOR GEOLOGICAL SURVEY)

☐ Other (*briefly summarize*)

Radial bearing (degrees True)	Height of radiation center above average elevation of radial from 3 to 16 km (meters)	Predicted Distances to the <del>HAAT</del> contour	
		3.16mV/m (kilometers)	1.0mV/m
0	83.7	10.7	19.1
45	134.4	13.3	24.0
90	193.2	16.2	28.1
135	194.7	16.3	28.2
180	174.3	15.4	26.9
225	92.5	11.2	20.1
270	107.9	12.0	21.8
315	99.0	11.5	20.8
*96 <sup>0</sup>	200.9	16.5	28.7

\*Not included in Allocation Studies  
HAAT computation. (*See Subpart C of 47 C.F.R. Part 73*)

19. Is the proposed antenna location within 320 kilometers (199 miles) of the common border between the United States and Mexico?

☐ Yes ☒ No

If Yes, attach as an Exhibit a showing of compliance with all provisions of the Agreement between the United States of America and the United Mexican States concerning Frequency Modulation Broadcasting in the 88 to 108 MHz band.

Exhibit No.  
N/A



20. Is the proposed antenna location within 320 kilometers of the common border between the United States and Canada?

☐ Yes ☒ No

If Yes, attach as an Exhibit a showing of compliance with all provisions of the Working Agreement for Allocation of FM Broadcasting Stations on Channels 201-300 under The Canada-United States FM Agreement of 1947.

Exhibit No.  
N/A

21. If the proposed operation is for a channel in the range from channel 201 through 220 (88.1 through 91.9 MHz), or if this proposed operation is for a class D station in the range from Channel 221 through 300 (92.1 through 107.9 MHz), attach as an Exhibit a complete allocation study to establish the lack of prohibited overlap of contours with other U.S. stations. The allocation study should include the following:

Exhibit No.  
N/A

- (a) The normally protected interference-free and the interfering contours for the proposed operation along all azimuths.
- (b) Complete normally protected interference-free contours of all other proposals and existing stations to which objectionable interference would be caused.
- (c) Interfering contours over pertinent arcs of all other proposals and existing stations from which objectionable interference would be received.
- (d) Normally protected and interfering contours over pertinent arcs, of all other proposals and existing stations, which require study to show the absence of objectionable interference.
- (e) Plot of the transmitter location of each station or proposal requiring investigation, with identifying call letters, file numbers and operating or proposed facilities.
- (f) When necessary to show more detail, an additional allocation study will be attached utilizing a map with a larger scale to clearly show interference or absence thereof.
- (g) A scale of kilometers and properly labeled longitude and latitude lines, shown across the entire Exhibit(s). Sufficient lines should be shown so that the location of the sites may be verified.
- (h) The name of the map(s) used in the Exhibit(s).

22. With regard to any stations separated by 53 or 54 channels (10.6 or 10.8 MHz) attach as an Exhibit information required in 1/ *(separation requirements involving intermediate frequency (i.f.) interference)*.

Exhibit No.  
EE-4

- 23.(a) Is the proposed operation on Channel 218, 219, or 220?

☐ Yes ☒ No

- (b) If the answer to (a) is yes, does the proposed operation satisfy the requirements of 47 C.F.R. Section 73.207?

☐ Yes ☐ No

- (c) If the answer to (b) is yes, attach as an Exhibit information required in 1/ regarding separation requirements with respect to stations on Channels 221, 222 and 223.

Exhibit No.  
N/A

- (d) If the answer to (b) is no, attach as an Exhibit a statement describing the short spacing(s) and how it or they arose.

Exhibit No.  
N/A

1/ A showing that the proposed operation meets the minimum distance separation requirements. Include existing stations, proposed stations, and cities which appear in the Table of Allotments; the location and geographic coordinates of each antenna, proposed antenna or reference point, as appropriate, and distance to each from nearest existing station.

**SECTION V-B - FM BROADCAST ENGINEERING DATA (Page 6)**

- (e) If authorization pursuant to 47 C.F.R. Section 73.215 is requested, attach as an Exhibit a complete engineering study to establish the lack of prohibited overlap of contours involving affected stations. The engineering study must include the following:

Exhibit No.  
**N/A**

- (1) Protected and interfering contours, in all directions (360°), for the proposed operation.
- (2) Protected and interfering contours, over pertinent arcs, of all short-spaced assignments, applications and allotments, including a plot showing each transmitter location, with identifying call letters or file numbers, and indication of whether facility is operating or proposed. For vacant allotments, use the reference coordinates as transmitter location.
- (3) When necessary to show more detail, an additional allocation study utilizing a map with a larger scale to clearly show prohibited overlap will not occur.
- (4) A scale of kilometers and properly labeled longitude and latitude lines, shown across the entire exhibit(s). Sufficient lines should be shown so that the location of the sites may be verified.
- (5) The official title(s) of the map(s) used in the exhibits(s).

24. Is the proposed station for a channel in the range from Channel 201 to 220 (88.1 through 91.9 MHz) and the proposed antenna location within the distance to an affected TV Channel 6 station(s) as defined in 47 C.F.R. Section 73.525?

☐ Yes ☒ No

If Yes, attach as an Exhibit either a TV Channel 6 agreement letter dated and signed by both parties or a map and an engineering statement with calculations demonstrating compliance with 47 C.F.R. Section 73.525 for each affected TV Channel 6 station.

Exhibit No.  
**N/A**

25. Is the proposed station for a channel in the range from Channel 221 to 300 (92.1-107.9 MHz)?

☒ Yes ☐ No

If Yes, attach as an Exhibit information required in 1/. (Except for Class D (secondary) proposals.)

Exhibit No.  
**EE-4**

26. Environmental Statement (See 47 C.F.R. Section 1.1301 et seq.)

Would a Commission grant of this application come within Section 1.1307 of the FCC Rules, such that it may have a significant environmental impact?

☒ Yes ☐ No

If you answer Yes, submit as an Exhibit an Environmental Assessment required by Section 1.1311.

Exhibit No.  
**EE-5**

If No, explain briefly why not.

**CERTIFICATION**

I certify that I have prepared this Section of this application on behalf of the applicant, and that after such preparation, I have examined the foregoing and found it to be accurate and true to the best of my knowledge and belief.





Name (Typed or Printed) <b>JOHN W. SMITH SR.</b>	Relationship to Applicant (e.g., Consulting Engineer) <b>TECHNICAL DIRECTOR</b>
Signature 	Address (Include ZIP Code) <b>P.O. BOX 1226 JEFFERSONVILLE, IN 47131-1226</b>
Date <b>MAY 30, 1992</b>	Telephone No. (Include Area Code) <b>(812) 284-1945</b>

EXHIBIT EE-1  
Vertical Tower Sketch







JOB TITLE: FM STUDY FOR: ADAMS RIB, INC.  
 CHANNEL: NEW ALBANY, IN FM 234A  
 COORDINATES: N 38 17 30 W 85 54 19

CHANNEL CLASS	LOCATION	CALL	ERP (kw)	1/REQUIRED DX(km)	ACTUAL DX(km)
287A ALL	IN Scottsburg N 38 37 12 W 85 45 15	RM1856	6.0 100	8	38.76
288A LIC	KY Fort Knox N 37 51 06 W 85 56 45	WASE	6.0 100	8	48.97
231A ALL	IN Loogootee N 38 37 09 W 86 58 27	RM6532	6.0 100	27	100.1
232C2 ALL	KY Hardinsburg N 37 52 00 W 86 14 00	RM6532	50.0 100	55	55.26
233C1 LIC	KY Lexington N 38 07 25 W 84 26 45	WLAP-FM	100.0 195	129	129.2
234A APP	KY Philpot N 37 42 05 W 86 59 08	BPH900705MJ	3.0 100	105	115.3
234A APP	KY Philpot N 37 41 51 W 86 59 26	BPH900703MB	3.0 100	105	115.9
234B APP	IN Indianapolis N 39 53 20 W 86 12 07	WFBQ	47.0 272	163	179.2
234B LIC	IN Indianapolis N 39 53 59 W 86 12 02	WFBQ	52.0 259	163	180.3
234C CP	TN Cookeville N 36 10 26 W 85 20 37	WGSQ	100.0 402	222	240.3
236A CP	IN Nashville N 39 13 39 W 86 25 05	WVNI	1.6 194	27	113.0
237A LIC	IN Paoli N 38 32 25 W 86 28 42	WUME-FM	3.0 91	27	57.15

END CHANNEL 234A STUDY

1/ The distance required from the locations above was based upon 73.213(c)(1) as provided in Docket 88-457 & rm-6307. The proposed class contour distance is 24 km.

## RADIATION HAZARD EXHIBIT

This proposal has been evaluated with respect to the RF radiation exposure guidelines contained in ANSI Standard C95.1-1982. For the FM band, the power density may be computed from the formula:

$$S = \frac{(0.64)(1.64)(P)(1000 \text{ milliwatts/watt})}{(3.141492654)(H)^2}$$

where: S = Power Density

P = Total power in watts (H & V)

H = Height of radiation center in cm above ground level

In the case of the instant proposal, P = 3,140 and H = 5700.

ANSI C95.1-1982 permits up to 1.00 mw/cm<sup>2</sup> exposure at this frequency.

Therefore at ground level: S = .0323 mw/cm<sup>2</sup> or 3.23% of the allowable.

It is evident that no practical hazard will exist. Where accessible areas of the tower are within the hazard zone, they will be posted from unauthorized access by a fence with a locked gate. The transmitter will be turned off prior to any worker entering the gate or climbing the tower to prevent radiation exposure.

## SECTION VI - EQUAL EMPLOYMENT OPPORTUNITY PROGRAM

1. Does the applicant propose to employ five or more full-time employees?

☐ Yes ☐ No

If Yes, the applicant must include an EEO program called for in the separate Broadcast Equal Employment Opportunity Program Report (FCC 396-A).

## SECTION VII - CERTIFICATION

1. Has or will the applicant comply with the public notice requirements of 47 C.F.R. Section 73.3580?

☐ Yes ☐ No

The APPLICANT hereby waives any claim to the use of any particular frequency as against the regulatory power of the United States because of the previous use of the same, whether by license or otherwise, and requests an authorization in accordance with this application. (See Section 304 of the Communications Act of 1934, as amended.)



### SITE CERTIFICATION

Adam's Rib, Inc. has reasonable assurance, in good faith, that the site proposed in the engineering portion of this application, as the location of its transmitting facility, will be available for the applicant's intended purpose. The applicant certifies that it has obtained such reasonable assurance by contacting the owner's agent and person possessing control of the site proposed.

**PAT HARRISON**

\_\_\_\_\_  
Name of Person Contacted

**(812)944-1111**

\_\_\_\_\_  
Telephone No. of owner's Agent

**ADAM'S RIB, INC.**

*Mary L. Smith*  
\_\_\_\_\_  
Applicant's Signature

*6/10/92*  
\_\_\_\_\_  
Date

**CERTIFICATION PURSUANT TO SECTION 1.2002  
OF THE COMMISSION'S RULES (47 C.F.R. §1.2002)**

I certify that no party to the applicant is subject to a denial of federal benefits pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. §853a.

ADAM'S RIB, INC.

Applicant

By: Mary L. Smith

Title: PRESIDENT

Date: 6/10/92

## Appendix B

Before the  
Federal Communications Commission  
Washington, D.C. 20554

modified. Accordingly, pursuant to Section 1.87 of the Commission's Rules, Loogootee is deemed to have consented to the proposed modification.

3. In response to WBDC's counterproposal, River Valley states that the Commission allotted Channel 234A in lieu of Channel 264A to Philnot, Kentucky in MM Docket No

6. Based on the above information, we believe the public interest would be served by the substitution of Channel 232C2 for Channel 232A at Hardinsburg, and the substitution of Channel 265B1 for Channel 265A at Huntingburg, since each proposal would result in the provision of a wide area FM service to the respective communities. Channel 265B1 can be substituted for Channel 265A at Huntingburg, Indiana, in compliance with the Commission's minimum distance separation requirements with a site restriction of 10.2 kilometers (6.3 miles) southeast to avoid short spacings to Station WMGI, Channel 264B, Terre Haute, Indiana, and the site specified in the construction permit (BPH-890710JW) for Channel 266A, Bloomfield, Indiana.<sup>5</sup> Channel 287A can be substituted for Channel 265A at Scottsburg, Indiana, in compliance with the Commission's minimum distance separation requirements, at the site specified by WBDC.<sup>6</sup> Channel 232C2 can be substituted for Channel 232A at Hardinsburg, Kentucky, in compliance with the Commission's minimum distance separation requirements, with a site restriction of

City	Channel No.
Hardinsburg, Kentucky	232C2
Huntingburg, Indiana	265B1
Loogootee, Indiana	231A
Scottsburg, Indiana	287A

9. IT IS FURTHER ORDERED, That pursuant to Section 316(a) of the Communications Act of 1934, as amended, the license of HIC Broadcasting, Inc., for Station WHIC(FM), Hardinsburg, Kentucky, IS MODIFIED, to specify operation on Channel 232C2 in lieu of Channel 232A, subject to the following conditions:

(a) Within 90 days of the effective date of this Order, the licensee shall submit to the Commission a minor change application for a construction permit (Form 301), specifying the new facility:

(b) Upon grant of the construction permit program

(a) Nothing contained herein shall be construed as authorizing any change in license BLH-841217KK except the channel as specified above. Any other

FEDERAL COMMUNICATIONS COMMISSION


CERTIFICATE OF SERVICE

I, Ann C. Farhat, a member of the firm of Bechtel & Cole Chartered, do hereby certify that I have caused copies of the foregoing Petition for Leave to Amend (and accompanying amendment)

M'S RIB, INC.  
ALBANY, IN

EE-2  
GEORGETOWN QUADRANGLE  
INDIANA  
7.5 MINUTE SERIES (TOPOGRAPHIC)

3860 IV NE  
(SPEED)





STATE OF INDIANA  
DEPARTMENT OF NATURAL RESOURCES  
INDIANAPOLIS, INDIANA

ADAM'S F  
NEW ALB

90

57'30"

92

1360 V. S. A.  
(BORDEN) 93

94

95

95

JERSEY

PARK

ROAD

Fork